Price List

Window Screen Components

Effective 3-1-05

Universal Molding Company

PART NO.	DESCRIPTION	FINISHES
101-20B **101-19G** **101-10M** **101-02W (SPO)**	1-1/4" SCREEN FRAME .040  BOXED: 65 Pcs Cambered LENGTH: 12'2"	UNBRONZE GRAY MILL WHITE Special order, lead time required. Use Spline .175 Serr. Use Corner 1201 (Spec.)
110-62B **110-08G** **110-02M** **110-06W** **110-61BP** **110-04A**	1" SCREEN FRAME .032  BOXED: 84 Pcs. Cambered LENGTH: 12'2"	UNBRONZE GRAY MILL WHITE BRONZE ANODIZED (CLR) Use Spline .225 Serr. Use Corner 1215, 196-03 (Spec.)
111-26PB **111-13G** **111-02M** **111-25W**	1" SCREEN FRAME .025  BOXED: 84 Pcs. Cambered LENGTH: 12'2"	BRONZE GRAY MILL WHITE Use Spline .225 Serr. Use Corner 1215, 196-08 (Spec.)
1004A (SPO) **1004BP (SPO)** **1004M (SPO)**	1" EXTRUDED SCREEN FRAME .062  BNDLS: 25 Pcs. LENGTH: 12'2" Straight Only	ANODIZED (CLR) BRONZE MILL Use Spline .225 Serr. Use Corner 1200
120-G2B **120-08G** **120-02M** **120-06W** **120-61BP** **120-04A**	3/4" SCREEN FRAME .025  BOXED: 104 Pcs. LENGTH: 12'2" BNDLS: 50 Pcs. MILL ONLY	UNBRONZE GRAY MILL WHITE ANODIZED (CLR) Use Spline.175 Serr. Use Corner Spec.

PART NO.	DESCRIPTION	FINISHES
119-21BP **119-13G** **119-01M** **119-27W**	3/4" SCREEN FRAME .020  BOXED: 104 Pcs. BNDLS: 50 Pcs. MILL ONLY LENGTH: 12'2" Cambered	BRONZE GRAY MILL WHITE Use Spline .175 Serr. Use Corner 197-05, 197-07 (Spec.)
117-02BP (SPO) **117-01M (SPO)** **117-0GW (SPO)**	1/4" SCREEN FRAME .020  BOXED: 100 Pcs. LENGTH: 12'12"	BRONZE MILL WHITE Use Spline .135 Serr. Use Corner 1214
130-62B **130-06G** **130-02M** **130-17W** **130-04A** **130-61BP**	1/4" LIP FRAME .025  BOXED: 85 Pcs. Cambered LENGTH: 12'2"	UNBRONZE GRAY MILL WHITE ANODIZED BRONZE Use Spline .175 Serr. Use Corner 197-05 197-07, 1205
135-61BP **135-06G** **135-02M** **135-08W**	5/16" LIP FRAME .025  BOXED: 120 Pcs. Cambered LENGTH: 12'2"	BRONZE GRAY MILL WHITE Use Spline .175 Serr. Use Corner 203-01

PART NAME	PART NO.	FIN.	LENGTH	PACKAGED
1" JALOUSIE FRAME  	732-02M 732-03A 732-04G 732-61BP 632-51 732-62	MILL AN (CLR) GRAY BRONZE B UNIBRZ	12'2" Camb 12'2" Camb 12'2" Camb	96 Pcs./Box 1168.0 Ft. Wt. 111 Lbs.
Thickness 0.25	Use Corner 210-01	1M/Box		Wt. 25 Lbs. 1.0 Cu. Ft.
3/4" FLANGED FRAME  	121-01M 121-02A 121-03G 121-06BP 121-62	MILL AN (CLR) GRAY BRONZE UNIBRZ	12'2" Camb 12'2" Camb 12'2" Camb	104 Pcs./Box 1265.34 Ft. Wt. 103 Lbs. 3.67 Cu. Ft.
Thickness 0.25	Use Corner 200-01	1M/Box		Wt. 19 Lbs. 1.0 Cu. Ft.

Universal Molding Company
10807 Stanford Avenue, Lynwood, CA 90262
Toll Free: 800-810-6653 • Tel: 310-886-1750 • Fax: 310-516-2138 • Internet: www.universalmold.com

Universal Molding Company

Price List
Window Screen Components
Effective 3-1-05

PART NO.	DESCRIPTION	FINISHES
125-02M	5/8" HEAVY SCREEN FRAME .024  BOXED: 150 Pcs. Cambered LENGTH: 12'2"	MILL Use Spline .135 Serr. Use Corner 201-01
126-06 **126-02M**	5/8" REGULAR SCREEN FRAME .022  BOXED: 175 Pcs. Cambered LENGTH: 12'2"	
122-08BP **122-04G** **122-01M** **122-09W** **122-02A**	1-3/16" STANDOFF FRAME .025  BOXED: 90 Pcs. Straight LENGTH: 12'2"	BRONZE GRAY MILL WHITE ANODIZED (CLR) Use Spline .175 Serr. Use Corner 197-05 197-07
131-05BP **131-03G** **131-01M** **131-08W**	15/16" STANDOFF FRAME .025  BOXED: 90 Pcs. Straight LENGTH: 12'2"	BRONZE GRAY MILL WHITE Use Spline .175 Serr. Use Corner 197-05 197-07
1015A (SPO) **1015M (SPO)** **1015W (SPO)** **1015BP (SPO)**	5/8" EXTRUDED STANDOFF FRAME .055 (SPECIAL ORDER)  BNDLS: 25 Pcs. Straight LENGTH: 12'2"	ANODIZED (CLR) MILL WHITE BRONZE Use Spline .175 Serr. Use Corner 197-05

PART NO.	DESCRIPTION	FINISHES
118-04B **118-03G** **118-01M** **118-05W**	5/16" SCREEN FRAME .020  BOXED: 152 Pcs. Cambered LENGTH: 12'2" BNDLS: 50 Pcs. MILL ONLY	UNBRONZE GRAY MILL WHITE Use Spline .175 Serr. Use Corner 1213
586-17BP **586-03G** **586-01M** **586-36W** **586-02A**	3/8" SLIDER FRAME .020  BOXED: 136 Pcs. LENGTH: 12'2" Cambered	BRONZE GRAY MILL WHITE ANODIZED Use Spline .175 Serr. Use Corner 204-01, 204-03 or 1212
160-62B **160-04G** **160-01M** **160-63W** **160-61BP** **160-02A**	7/8" SPREADER BAR .040  BOXED: 75 Pcs. LENGTH: 12'	UNBRONZE GRAY MILL WHITE BRZ PTD ANODIZED (CLR) Use Clip 376-01
162-62B **162-04G** **162-01M** **162-03W** **160-02A** **162-61BP**	5/8" SPREADER BAR .032  BOXED: 100 Pcs. LENGTH: 12'	UNBRONZE GRAY MILL WHITE ANODIZED (CLR) BRONZE Use Clip 376-033
162-64BP **162-16G** **162-14M** **162-13W**	5/8" SPREADER BAR .025  BOXED: 100 Pcs. LENGTH: 12' BNDLS: 50 Pcs. MILL ONLY	BRONZE GRAY MILL WHITE Use Clip 376-033

Universal Molding Company
10807 Stanford Avenue, Lynwood, CA 90262
Toll Free: 800-810-6653 • Tel: 310-886-1750 • Fax: 310-516-2138 • Internet: www.universalmold.com

Price List
Window Screen Components
Effective 3-1-05

Universal
Molding Company

PART NO.	DESCRIPTION	FINISHES	PART NO.	DESCRIPTION	FINISHES
1201M (SPO)	1-1/4" STAMPED CORNER 	MILL For Frame 101	**203-01**	5/16" LIP CORNER .050  BOXED: 1000	MILL For Frame 135
196-03M	1" INSIDE CORNER .061  BOXED: 1000	MILL For Frame 110, 111	**201-01M**	5/8" HEAVY CORNER .050  BOXED: 1000	MILL For Frame 125
1200M (SPO)	1" INSIDE CORNER 		**202-01M**	5/8" REGULAR CORNER .050  BOXED: 1000	MILL For Frame 126
197-05M	3/4" INSIDE CORNER .061  BOXED: 1000	MILL For Frame 119, 131, 120, 122, 230	**204-01M**	3/8" SLIDER CORNER .050  BOXED: 1000	MILL For Frame 586
197-20M	3/4" INSIDE CORNER .040  BOXED: 1000	MILL For Frame 119, 120, 122 130, 131	**204-03M**	3/8" SLIDER CORNER .040  BOXED: 1000	MILL For Frame 586
200-01	3/4" FLANGED CORNER  BOXED: 1000	MILL For Frame 121	**210-01**	 BOXED: 1000	MILL For Frame 732

Universal **Molding Company**
10807 Stanford Avenue, Lynwood, CA 90262
Toll Free: 800-810-6653 • Tel: 310-886-1750 • Fax: 310-516-2138 • Internet: www.universalmold.com

Universal Molding Company

Price List
Window Screen Components
Effective 3-1-05

PART NO.	DESCRIPTION	FINISHES
191-35BP (SPO) **191-26G (SPO)** **191-11W (SPO)**	MULLION BAR .032  BOXED: 40 Pcs. LENGTH: 12'	BRONZE GRAY WHITE
192-148P (SPO) **192-13G (SPO)** **192-11W (SPO)**	MULLION INSERT MODIFIED .025  BOXED: 12 Pcs. LENGTH: 12'	BRONZE GRAY WHITE
209-03	1" x 1" REGULAR CORNER  BOXED: 500	MILL For Frame 114
	JALOUSIE POLES  **Part Number:** 697-4', 5', 7', 8', 10', 12', 15' (SPO) **Tubing:** 1.062" D.D. Fluted Extruded Aluminum **Material:** .060 Thickness – 6063 T5 Extruded Aluminum **Finish:** Commercial Clear Anodize **Loop:** 9/16" I.D. eye bolt, secured in place with tempered spring steel, interior gripping lock nuts. **Handle Cap:** Plastic	

PART NO.	DESCRIPTION	FINISHES
1390A (SPO) **1390BP (SPO)** **1390M (SPO)** **1390W (SPO)**	ALUMINUM WICKET  PLEASE SPECIFY WHICH TYPE WIRE YOU WANT WHEN ORDERING	ANODIZED (CLR) BRONZE MILL WHITE Rewirable, durable construction. Simple installation. Rust free. Easily operated. Size 9-3/8" x 7". Extruded aluminum frame. Stainless steel locking latch. Plastic pull tab. Continuous hinge.
216-02M	5/16" x 3/4" CORNER .030  BOXED: 1000	MILL For Frame 117
196-06M	1" INSIDE CORNER .050  BOXED: 1000	MILL For Frame 110, 111
197-07M	3/4" INSIDE CORNER .050  BOXED: 1000	MILL Use Frame 119, 120, 122, 130, 131

Universal Molding Company
10807 Stanford Avenue, Lynwood, CA 90262
Toll Free: 800-810-6653 • Tel: 310-886-1750 • Fax: 310-516-2138 • Internet: www.universalmold.com

Price List

Window Screen Components

Effective 3-1-05

Universal
Molding Company

PART NO.	DESCRIPTION	FINISHES
1217G (SPO) **1217W (SPO)** **1217B (SPO)**	3/8" PLASTIC CORNER  FOR SQUARE CUT SCREEN FRAME	GRAY WHITE BRONZE
1218G (SPO) **1218W (SPO)** **1218B (SPO)**	7/16" PLASTIC CORNER  FOR SQUARE CUT SCREEN FRAME	GRAY WHITE BRONZE
1219G (SPO) **1219W (SPO)** **1219B (SPO)**	5/16" PLASTIC CORNER  FOR SQUARE CUT SCREEN FRAME	GRAY WHITE BRONZE
1430 (SPO)	SLIP-IN TENSION SPRING  	CAD.
P1390GF (SPO) **P1390GS (SPO)** **P1390WF (SPO)** **P1390CF (SPO)** **P1390ZS (SPO)**	PLASTIC WICKET  Rewirable, durable construction. Simple installation. Rust free. Easily operated. Size 10" x 6".	GRAY WHITE BRONZE F: Fiber S: SHELL ONLY

PART NO.	DESCRIPTION	FINISHES
1362M (SPO)	FLUSH DIECAST CLIP  Use: 8 x 3/4 HexHd SMS	MILL Use Screw 6023
372-06M	3/16" DIECAST CLIP  Use: 8 x 3/4 HexHd SMS	BLACK MILL Use Screw 6023
1331M (SPO)	1/4" DIECAST CLIP  Use: 10-24 x 5/8" Screw S/T	MILL Use Screw 6155
1338BL (SPO) **1338G (SPO)** **1338B (SPO)**	1/8" PLASTIC CLIP  Use: 8 x 3/4 HexHd SMS	BLACK GRAY BRONZE Use Screw 6023
1371G (SPO)	FLAT PLASTIC CLIP  Use: 8 x 3/4 HexHd SMS	GRAY Use Screw 6023
1369BL (SPO) **1369G (SPO)** **1369B (SPO)**	15/16" PLASTIC CLIP  Use: 10-24 x 1-1/4" Screw S/T	BLACK GRAY BRONZE Use Screw 6157

Universal **Molding Company**
10807 Stanford Avenue, Lynwood, CA 90262
Toll Free: 800-810-6653 • Tel: 310-886-1750 • Fax: 310-516-2138 • Internet: www.universalmold.com

Universal Molding Company

Price List
Window Screen Components
Effective 3-1-05

PART NO.	DESCRIPTION	FINISHES
1335M (SPO)	3/4 SLIDE LOCKS  BOXED: 1000	MILL Use Notching Tool 6363
1337M (SPO)	3/4 SLIDER CLIPS  BOXED: 1000	MILL Use Notching Tool 6363
1339M (SPO)	SLIP CLIP  BOXED: 1000	MILL Use Notching Tool 6363
381-01	SCREEN CLIP  BOXED: 1000	MILL Use No. AD-41-BS Pop Rivet
382-01	HANDLE CLIP  BOXED: 1000	MILL Use No. AD-41-BS Pop Rivet
1342 (SPO) **1428 (SPO)**	WIRE WINDOW SPRING – REGULAR WIRE WINDOW SPRING – HEAVY DUTY  BOXED: 1000	CAD. Use Notching Tool 6363
1343 (SPO) **1429 (SPO)**	FLAT WINDOW SPRING – REGULAR FLAT WINDOW SPRING – HEAVY DUTY  BOXED: 1000	CAD. Use 3/16" Drill Bit
1344M (SPO) **1"** **1345M (SPO)** **3/4"** **1346M (SPO)** **5/8"**	PLUNGER LATCHES – Aluminum  BOXED: 500 & 1000	MILL Use Step Drill 6364
1347G (SPO)	7/16" SCREEN RETAINER CLIP – Plastic  BOXED: 1000	GRAY For All 7/16 Frames
1357 (SPO)	7/16" SCREEN RETAINER CLIP – Metal  BOXED: 1000	CAD. For All 7/16 Frames
1368 (SPO)	3/8" METAL RETAINER CLIP  BOXED: 1000	For All 3/8 Frames
1348 (SPO)	CONE SPRING  BOXED: 1000	CAD. Use 1/8" Drill Bit

Universal Molding Company
10807 Stanford Avenue, Lynwood, CA 90262
Toll Free: 800-810-6653 • Tel: 310-886-1750 • Fax: 310-516-2138 • Internet: www.universalmold.com

Price List
Window Screen Components
Effective 3-1-05

Universal
Molding Company

PART NO.	DESCRIPTION	FINISHES
370-01M **370-05B** **370-06W**	LIFT CLIPS  BOXED: 1000	MILL BRONZE WHITE
376-01	7/8" SPREADER BAR CLIP  BOXED: 1000	MILL For Part 1101
376-03M	5/8" SPREADER BAR CLIP BOXED: 1000	MILL For Part 1102 or 1103
1355 (SPO)	"P" PIN 3/32" Diameter  BOXED: 1000	CAD.
1356W (SPO)	PLUNGER LATCH – Nylon  BOXED: 500 & 1000	WHITE Use Step Drill 6364
370-10 BL	PULL TABS – Plastic 	BLACK

PART NO.	DESCRIPTION	FINISHES
359-01	KNIFE LATCH  LEFT RIGHT BOXED: 1000 (Pairs)	MILL Each Pair has one right and one left Use No. AD-41-BS Pop Rivet
320G **331BL**	SPLINE (Vinyl) Serrated  Smooth WEIGHT: 15 Lbs./Roll BOXED: 2 Rolls/Carton	GRAY BLACK BLACK

Sizes Available:	Approx. Footage:
.090	3000 ft.
.120	2500
.125	2450
.130	2350
.135	2300
.140	2150
.145	200
.150	1800
.155	1725
.160	1650
.165	1575
.170	1500
.175	1450
.180*	1400
.185	1350
.190	1300
.195	1250
.200	1200
.205	1150
.210	1100
.215	1050
.220	1000
.225	925
.230	850
.235*	800
.240	750
.245	700
.250	650
.255	600
.260	550
.270	500

* Smooth in these sizes only.

Universal Molding Company
10807 Stanford Avenue, Lynwood, CA 90262
Toll Free: 800-810-6653 • Tel: 310-886-1750 • Fax: 310-516-2138 • Internet: www.universalmold.com

Universal Molding Company

Price List
Window Screen Components
Effective 3-1-05

PART NO.	DESCRIPTION	FINISHES
371-01M	5/16" ALUMINUM CASEMENT CLIP  Use: 10-24 5/8" Screw S/T BOXED: 1000	MILL Use Screw 6155
1314M (SPO)	3/8" ALUMINUM CASEMENT CLIP  Use: 10-24 3/4" Screw S/T BOXED: 1000	MILL Use Screw 6156 For Frame 1005, 1011, 1019
371-03M	7/16" ALUMINUM CASEMENT CLIP  Use: 10-24 x 3/4" Screw S/T BOXED: 1000	MILL Use Screw 6156
1316M (SPO)	7/8" ALUMINUM CASEMENT CLIP  Use: 10-24 x 1/4" Screw S/T BOXED: 1000	MILL Use Screw 6157 For Frame 1014
1317M (SPO)	1-3/16" ALUMINUM CASEMENT CLIP  Use: 10-24 x 1-5/8" Screw S/T BOXED: 1000	MILL Use Screw 6158 For Frame 1013
372-04M	1/16" DIECAST CLIP  Use: 8 x 3/4" HexHd SMS BOXED: 1000	MILL Use Screw 6023
1361M (SPO)	1/8" DIECAST CLIP  Use: 8 x 3/4" HexHd SMS BOXED: 1000	MILL Use Screw 6023
372-01M	5/16" DIECAST CLIP  Use: 10-24 5/8" Screw S/T BOXED: 1000	MILL Use Screw 6155
372-02M	3/8" DIECAST CLIP  Use: 10-24 3/4" Screw S/T BOXED: 1000	MILL Use Screw 6156
372-03M	7/16" DIECAST CLIP  Use: 10-24 3/4" Screw S/T BOXED: 1000	MILL Use Screw 6156
373-04G **373-08BL** **373-30W**	1/16" PLASTIC CLIP  Use: 8 x 3/4" HexHd SMS BOXED: 1000	GRAY BLACK WHITE Use Screw 6023
373-06G **373-10BL**	3/16" PLASTIC CLIP  Use: 8 x 3/4" HexHd SMS BOXED: 1000	GRAY BLACK Use Screw 6023

Universal Molding Company
10807 Stanford Avenue, Lynwood, CA 90262
Toll Free: 800-810-6653 • Tel: 310-886-1750 • Fax: 310-516-2138 • Internet: www.universalmold.com

Price List
Window Screen Components
Effective 3-1-05

Universal
Molding Company

PART NO.	DESCRIPTION	FINISHES
373-01G **373-09B**	5/16" PLASTIC CLIP  Use: 10-24 5/8" Screw S/T BOXED: 1000	GRAY BRONZE Use Screw 6155
373-02G **373-11B** **373-32W**	3/8" PLASTIC CLIP  Use: 10-24 3/4" Screw S/T BOXED: 1000	GRAY BRONZE WHITE Use Screw 6156
373-03G **373-07B** **373-31W**	7/16" PLASTIC CLIP  Use: 10-24 x 3/4" Screw S/T BOXED: 1000	GRAY BRONZE WHITE Use Screw 6156
1365B (SPO) **1365G (SPO)** **1365BL (SPO)**	7/8" PLASTIC CLIP  Use: 10-24 x 1-1/4" Screw S/T BOXED: 1000	GRAY BRONZE WHITE Use Screw 6157 For Frame 1014
1366B (SPO) **1366G (SPO)** **1366BL (SPO)**	1-1/8" PLASTIC CLIP  Use: 10-24 x 1-5/8" Screw S/T BOXED: 1000	GRAY BRONZE BLACK Use Screw 6158 For Frame 1015
1367B (SPO) **1367G (SPO)** **1367BL (SPO)**	1-3/16" PLASTIC CLIP  Use: 10-24 x 1 5/8" Screw S/T BOXED: 1000 1-3/16" DIECAST CLIP 1370M Also Available	GRAY BRONZE BLACK Use Screw 6158 For Frame 1013

PART NO.	DESCRIPTION	FINISHES
373-05G	FLUSH NYLON CAP BOXED: 1000	GRAY
374-01	WING CLIP  BOXED: 1000	MILL
387-01	"Z" CLIP  BOXED: 1000	MILL
375-01	STRETCHER CLIP – 3/4" SCN. FRM  BOXED: 1000	MILL
383-01	SWIVEL LATCH  BOXED: 1000	MILL Use NO. AD-41-BS Pop Rivet
1333 (SPO) **1334 (SPO)**	LOCK PINS – 1/8" Diameter  BOXED: 1000	CAD.

Universal **Molding Company**
10807 Stanford Avenue, Lynwood, CA 90262
Toll Free: 800-810-6653 • Tel: 310-886-1750 • Fax: 310-516-2138 • Internet: www.universalmold.com

Universal Molding Company

Price List
Window Screen Components

Effective 3-1-05

PART NO.	DESCRIPTION	FINISHES
920BP (SPO) **920-04G (SPO)** **920-01M (SPO)** **920W (SPO)**	JIFFY HANGER W/NAIL .032  +NAILS BOXED: 1000 (Pairs) – NO NAILS	GRAY BRONZE MILL WHITE Use Nail 6355
1302 (SPO) **1302L (SPO)** **Left** **1302R (SPO)** **Right**	SAFETY HANGER W/NAIL  BOXED: 1000 (Pairs)	CAD. Each pair has one right and one left Use Nail 6335
1117M (SPO)	SPECIAL BAIL LATCH 	MILL Use Screw 6210
1304M (SPO) **1304M (SPO)** **1304F (SPO)**	TOP HANGER SET  Each set has 1 male, 1 female BOXED: 1000 BOXED: 1000	MILL Use Screws 6060, 6063 Male Female
920-25BP **920-24G** **920-21M** **920-23W**	SLIP ON BAIL LATCH W/ SCREW  BOXED: 1000 + SCREWS	GRAY BRONZE MILL WHITE Use Screw 6210
1306BP (SPO) **1306G (SPO)** **1306M (SPO)** **1306W (SPO)**	PACKAGED WINDOW SCREEN HARDWARE  BOXED: 100 & 500 CONTAINS: 1 Bail Latch w/Screw 1 Pair Jiffy Hanger w/ Nail	BRONZE GRAY MILL WHITE
1307BP (SPO) **1307G (SPO)** **1307M (SPO)** **1307W (SPO)**	PACKAGED WINDOW SCREEN HARDWARE  BOXED: 100 & 500 CONTAINS: 2 Bail Latches w/Screw 1 Pair Jiffy Hanger w/ Nail	BRONZE GRAY MILL WHITE
1308M (SPO)	SPLINE BAIL LATCH W/SCREW  BOXED: 1000	MILL Use Screw 6210
920-13	SPRING LATCH – Long Cad. Plated With #11 x 1" Aluminum Drive Nail  BOXED: 1000	CAD. Use Nail 6330 Use 1/8" Drill Bit
920-14	SPRING LATCH – Short Cad. Plated With #11 x 1" Aluminum Drive Nail  BOXED: 1000	CAD Use Nail 6330 Use 1/8" Drill Bit
920-35M	SPRING LATCH – Long Stain. Steel With #11 x 1" Aluminum Drive Nail  BOXED: 1000	 Use 1/8" Drill Bit
920-36M	SPRING LATCH – Short Stain. Steel With #11 x 1" Aluminum Drive Nail  BOXED: 1000	MILL Use Nail 6330 Use 1/8" Drill Bit

Universal Molding Company
10807 Stanford Avenue, Lynwood, CA 90262
Toll Free: 800-810-6653 • Tel: 310-886-1750 • Fax: 310-516-2138 • Internet: www.universalmold.com

Price List
Window Screen Components
Effective 3-1-05

Universal
Molding Company

PART NO.	DESCRIPTION	FINISHES
700-39A **700-40P** **3601W (SPO)** **3601BL (SPO)** **3601T (SPO)**	5/8" X 1/2" X 1/2" CHANNEL .050  BNDLS: 25 Pcs. LENGTH: 12'	ANODIZED (CLR) BRONZE WHITE BLACK TAN
3605A (SPO) **3605BP (SPO)** **3605W (SPO)**	TOP SLIDE CHANNEL .062 (Note: Butt together for double track.)  BNDLS: 25 Pcs. LENGTH: 12'	ANODIZED (CLR) BRONZE WHITE
700-25A **700-24BP** **3602W (SPO)** **3602T (SPO)**	5/8" 1" X 1" CHANNEL .050  BNDLS: 25 Pcs. LENGTH: 12'	ANODIZED (CLR) BRONZE WHITE TAN
181-02A **181-03BP** **3606W (SPO)** **3606T (SPO)**	SINGLE BOTTOM TRACK .050  BNDLS: 25 Pcs. LENGTH: 12'	ANODIZED (CLR) BRONZE WHITE TAN
3603A (SPO) **3603BP (SPO)** **3603W (SPO)** **3603T (SPO)**	5/8" x 1/2" x 1/2 DOUBLE .050 CHANNEL  BNDLS: 25 Pcs. LENGTH: 12'	ANODIZED (CLR) BRONZE WHITE TAN
180-02A **180-038P** **3607W (SPO)** **3670T (SPO)**	DOUBLE BOTTOM TRACK .050  BNDLS: 25 Pcs. LENGTH: 12'	ANODIZED (CLR) BRONZE WHITE TAN
179-02A **179-03BP** **3604W (SPO)** **3604T (SPO)**	5/8" DOUBLE CHANNEL .050  BNDLS: 25 Pcs. LENGTH: 12'	ANODIZED (CLR) BRONZE WHITE TAN
3608A (SPO) **3608BP (SPO)** **3608W (SPO)** **3608T (SPO)**	ALUMINUM MEETING RAIL .050  BNDLS: 25 Pcs. LENGTH: 85", 108"	ANODIZED (CLR) BRONZE WHITE TAN Use AD-42-BS Pop Rivet For Frame 3001, 3002, 3003

Universal Molding Company
10807 Stanford Avenue, Lynwood, CA 90262
Toll Free: 800-810-6653 • Tel: 310-886-1750 • Fax: 310-516-2138 • Internet: www.universalmold.com

Universal Molding Company

Price List
Window Screen Components
Effective 3-1-05

PART NO.	DESCRIPTION	FINISHES
125-02M	5/8" HEAVY SCREEN FRAME .024  BOXED: 150 Pcs. Cambered LENGTH: 12'2"	MILL Use Spline .135 Serr. Use Corner 201-01
126-06 **126-02M**	5/8" REGULAR SCREEN FRAME .022  BOXED: 175 Pcs. Cambered LENGTH: 12'2"	
122-08BP **122-04G** **122-01M** **122-09W** **122-02A**	1-3/16" STANDOFF FRAME .025  BOXED: 90 Pcs. Straight LENGTH: 12'2"	BRONZE GRAY MILL WHITE ANODIZED (CLR) Use Spline .175 Serr. Use Corner 197-05 197-07
131-05BP **131-03G** **131-01M** **131-08W**	15/16" STANDOFF FRAME .025  BOXED: 90 Pcs. Straight LENGTH: 12'2"	BRONZE GRAY MILL WHITE Use Spline .175 Serr. Use Corner 197-05 197-07
1015A (SPO) **1015M (SPO)** **1015W (SPO)** **1015BP (SPO)**	5/8" EXTRUDED STANDOFF FRAME .055 (SPECIAL ORDER)  BOXED: 25 Pcs. Straight LENGTH: 12'2"	ANODIZED (CLR) MILL WHITE BRONZE Use Spline .175 Serr. Use Corner 197-05

PART NO.	DESCRIPTION	FINISHES
118-04B **118-03G** **118-01M** **118-05W**	5/16" SCREEN FRAME .020  BOXED: 152 Pcs. Cambered LENGTH: 12'2" BNDLES: 50 Pcs MILL ONLY	UNBRONZE GRAY MILL WHITE Use Spline .175 Serr. Use Corner 1213
586-17BP **586-03G** **586-01M** **586-36W** **586-02A**	3/8" SLIDER FRAME .020  BOXED: 136 Pcs. LENGTH: 12'2" Cambered	BRONZE GRAY MILL WHITE ANODIZED Use Spline .175 Serr. Use Corner 204-01, 204-03 or 1212
160-62B **160-04G** **160-01M** **160-63W** **160-61BP** **160-02A**	7/8" SPREADER BAR .040  BOXED: 75 Pcs. LENGTH: 12'	UNBRONZE GRAY MILL WHITE BRZ PTD ANODIZED(CLR) Use Clip 376-01
162-62B **162-04G** **162-01M** **162-03W** **160-02A** **162-61BP**	5/8" SPREADER BAR .032  BOXED: 100 Pcs. LENGTH: 12'	UNBRONZE GRAY MILL WHITE ANODIZED(CLR) BRONZE Use Clip 376-033
162-64BP **162-16G** **162-14M** **162-13W**	5/8" SPREADER BAR .025  BOXED: 100 Pcs. LENGTH: 12' BNDLS: 50 Pcs. MILL ONLY	BRONZE GRAY MILL WHITE Use Clip 376-033

Universal Molding Company
10807 Stanford Avenue, Lynwood, CA 90262
Toll Free: 800-810-6653 • Tel: 310-886-1750 • Fax: 310-516-2138 • Internet: www.universalmold.com